21

CLAIM AMENDMENTS

- (currently amended) Composition for attracting blood 1 sucking blood-sucking arthropods and/or fruit flies comprising an 2 effective amount of: a) at least one compound from group I, II or III or an acceptable salt thereof or a combination thereof with group I consisting of alpha-hydroxycarboxylic acids, particularly alphahydroxymonocarboxylic acids, each containing a C₀ - C₈ alkyl chain group; group II consisting of alpha-thiomonocarboxylic acids and alpha-thiodicarboxylic acids, each 10 containing a C₀ - C₈ alkyl chain group; 11 group III consisting of at least one compound of 12 group I or II wherein the alkyl group is sub-13 14 stituted by a C₆ - C₁₀ aryl group; and b) at least one compound of C_4 - C_8 carboxylic acids and 15 acceptable salts thereof, selected from the group consisting of 16 butyric acid, valeric acid, caproic acid, oenanthic acid, caprylic 17 acid and variations thereof, wherein said variations are defined as 18 having one or more unsatured bonds and/or being branched carboxylic 19 acids; 20
 - c) ammonia and/or primary amines with $C_1 C_6$ atoms.

- 2. (original) The composition of claim 1 wherein the alkyl chain contains 1, 2, 3, 4, 5, 6, 7 or 8 carbon atoms.
- 3. (original) The composition of claim 1 wherein the aryl group is a phenyl group.
- 4. (currently amended) The composition of any one of

 claims claim 1, 2 or 3 wherein compound a) is selected from

 glycolic acid, thiolactic acid, lactic acid, thiomalic acid,

 tartaric acid and mandelic acid, and wherein in c) ammonia is used

 in form of an ammonia releasing compound.
- 5. (currently amended) The composition of any one of
 the preceding claims claim 1 comprising lactic acid, caproic acid,
 ammonia, and acceptable salts thereof, or wherein heptanoic acid is
 used instead of or in addition to caproic acid.
- 6. (currently amended) The composition of any one of
 the preceding claims claim 1 wherein the components a: b: c are
 present in a molar amount of about 1: 0.1 100: 0.01 10 or 1:

 0.5 50: 0.05 5 or 1: 1-10: 0.1 1 with respect to their
 mixing ratio in gaseous phase.
- 7. (currently amended) The composition of any one of
 the preceding claims claim 1, wherein the components a : b : c are

- present in a molar amount of about 1:1:0.6 with respect to
- their mixing ratio in gaseous phase.
- 8. (currently amended) The composition of any one of
 the preceding claims claim 1 wherein additionally as component d
 one or more of further blood sucking blood-sucking arthropod
 attracting compounds are included.
- 9. (original) The composition of claim 8 wherein said

 further attracting compounds are selected from the group of at

 least one of C₁ C₃ carboxylic acids and acceptable salts thereof,

 selected from the group consisting of formic acid, acetic acid and

 propionic acid and at least one of dichlormethane, trichlormethane,

 acetone, phenol, 1-octen-3-ol, and fermentating yeast and an

 extract of fermentating yeast.
- 10. (currently amended) The composition of any one of
 the preceding claims claim 1 wherein as component d acetic acid is
 included.
- 11. (currently amended) The composition of any one of
 the preceding claims claim 1 wherein components a: b : c :d are
 present in a molar amount of about 1 : 0.1-100: 0.01-10 : 0.01
 -1000 or 1:0,1 100:0.01-10: 0.01 100 or 1 : 0.1 100 : 0.01 -

1

2

3

1

2

1

2

- 5 10: 0.01 50 or 1: 1 10: 0.1 1: 0.1 1 with respect to their mixing ratio in gaseous phase.
- 12. (currently amended) The composition of any one of
 the preceding claims claim 1 comprising an effective amount of
 lactic acid, ammonia, caproic acid, acetic acid or acceptable salts
 thereof, or wherein heptanoic acid is used instead of or in addition to caproic acid.
- 13. (original) The composition of claim 11 wherein the
 2 components are present in a molar amount of 1:1:0.6:0.2 with
 3 respect to their mixing ratio in gaseous phase.
 - 14. (currently amended) The composition of any one of the preceding claims claim 1 wherein ammonia is included in a mixing amount of not more than 10 times of lactic acid with respect to their mixing ratio in gaseous phase.
 - 15. (currently amended) The composition of any one of the preceding claims claim 1 wherein the mixing ratio of lactic acid and caproic acid is between 10 : 1 and 1 : 10 with respect to their mixing ratio in gaseous phase.
 - 16. (currently amended) The composition of any one of the preceding claims claim 1 wherein the mixing ratio of ammonia

1

3

5

1

2

3

Ť

- and lactic acid is between 1: 1 and 1: 50 with respect to their 3 mixing ratio in gaseous phase.
- 17. (currently amended) The composition of any one of 1 the preceding claims claim 1 wherein the mixing ratio of acetic 2 acid and lactic acid is between 1: 1 and 1: 100 with respect to 3 their mixing ratio in gaseous phase.
- 18. (currently amended) The composition of any one of 1 the preceding claims claim 1 comprising additionally stabilizers, 2 fragrances, preservatives, diluting agents.
- 19. (currently amended) The composition of any one of 1 the preceding claims claim 1 comprising additionally an effective 2 amount of carbon dioxide. 3
- 20. (currently amended) The composition of any one of the preceding claims claim 1 wherein the amount of caproic acid is 2 higher as the mixing amount of lactic acid and wherein the amount of ammonia is lower than the amount of lactic acid in the gaseous phase.
 - (currently amended) The composition of any one of the preceding claims claim 1 wherein at least [[two]] one of the components a), b), c) and/or d), and preferably all of them, are

- a, b, c, or d is used spatially separated and not in admixture with
- 5 each other.
- 1 22. (currently amended) Trap or kit of claim 1, which
- comprises components a, b, c and d, wherein components a, b, c
- and/or d are located in separated containers or vials.
- 1 23. (original) Trap or kit of claim 21, which further
- comprises means for controlled release of components a, b, c and/or
- 3 d.
- 24. (currently amended) A method of attracting blood
- sucking blood-sucking arthropods and/or fruit flies comprising the
- step of exposing the environment with an evaporated composition of
- any one of the preceding claims claim 1, which composition is
- s effective to attract blood sucking blood-sucking arthropods and/or
- 6 fruit flies.